

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: BLUE SAGE & EUCALYPTUS SLC1531

Version:

### Section 1. Identification of the substance or the mixture and of the supplier

**1.1 Product Identifier** 

Product identifier: BLUE SAGE & EUCALYPTUS SLC1531(Contains:Benzyl benzoate, Eucalyptol, Geraniol, Linalool)

Other identifiers: None

1

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

- 1.3 Details of the supplier of the safety data sheet
- Company name: New Zealand Candle Supplies
- Company address: Unit 3,

6 Rowe Street, Onehunga, Auckland, 1061, New Zealand.

#### Contact:

E-Mail address: info@nzcandlesupplies.nz

**Company phone:** 027 269 5441

1.4 Emergency telephone number

Emergency phone: 0800 764 766 (NZ Poison Centre)

#### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

	Flammable Liquid, Hazard Category 4
danger:	Acute Toxicity - Oral Category 5
	Skin Corrosion / Irritation Category 2
	Eye Damage / Irritation Category 1
	Sensitization - Skin Category 1
	Hazardous to the Aquatic Environment - Acute Hazard Category 1
	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
	H227, Combustible liquid.
	H303, May be harmful if swallowed.
	H315, Causes skin irritation.
	H317, May cause an allergic skin reaction.
	H318, Causes serious eye damage.
	H400, Very toxic to aquatic life.
	H411, Toxic to aquatic life with long lasting effects.
2.2 Label elements	
Signal word:	Danger



Page 2 (10) Issue date: 14/03/2024 Version: 1 (14/03/2024)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product:	BLUE SAGE & EUCALYPTUS SLC1531
Version:	1
Hazard stater	ents: H227, Combustible liquid. H303, May be harmful if swallowed. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H318, Causes serious eye damage. H400, Very toxic to aquatic life. H411, Toxic to aquatic life with long lasting effects.
Precautionary statements:	<ul> <li>P210, Keep away from heat, sparks, open flames and hot surfaces No smoking.</li> <li>P261, Avoid breathing vapour or dust.</li> <li>P264, Wash hands and other contacted skin thoroughly after handling.</li> <li>P272, Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273, Avoid release to the environment.</li> <li>P280, Wear protective gloves/eye protection/face protection.</li> <li>P302/352, IF ON SKIN: Wash with plenty of soap and water.</li> <li>P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310, Immediately call a POISON CENTER or doctor/physician.</li> <li>P333/313, If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P362, Take off contaminated clothing and wash before reuse.</li> <li>P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.</li> <li>P391, Collect spillage.</li> <li>P403/235, Store in a well-ventilated place. Keep cool.</li> <li>P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.</li> </ul>
Pictograms:	
2.3 Other haz	ds
Other hazard	Hydrocarbon Concentration %: 9.3529%
	Section 3. Composition / information on ingredients
3.2 Mixtures	

## 3.2 Mixtures

#### **Contains:**

Name	CAS	%	GHS Classification
Benzyl benzoate	120-51-4		Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411
Eucalyptol	470-82-6	10-<20%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B; H226-H303-H316-H317



# SAFETY DATA SHEET

In accordance with UN GHS latest edition

### Product: BLUE SAGE & EUCALYPTUS SLC1531

#### Version:

1

Linalool	78-70-6	5-<10%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402
Geraniol	106-24-1	5-<10%	Acute Tox. 5-Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1B- Aquatic Acute 3;H303-H315-H317-H318-H402
d-Limonene	5989-27-5	5-<10%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
Linalyl acetate	115-95-7	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402
p-Cymene	99-87-6	1-<5%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3-Repr. 2-Asp. Tox 1-Aquatic Acute 2-Aquatic Chronic 2;H226-H303-H304- H316-H361-H411
I-Limonene	5989-54-8	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
d-Camphor	464-49-3	0.1-<1%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1-STOT SE 2-Aquatic Acute 2-Aquatic Chronic 2; H228-H302-H315-H318-H332-H371-H411
p-Mentha-1,4-diene	99-85-4	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3-Repr. 2-Asp. Tox 1;H226-H303-H304-H316-H361
alpha-Pinene	80-56-8	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226- H302-H304-H315-H317-H410
Terpineol	8000-41-7	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 3;H227-H303-H315-H319-H402
beta-Caryophyllene	87-44-5	0.1-<1%	Skin Sens. 1B-Asp. Tox 1-Aquatic Chronic 4;H304- H317-H413
Borneol	507-70-0	0.1-<1%	Flam. Sol. 1-Acute Tox. 5-Skin Irrit. 2-Aquatic Acute 2- Aquatic Chronic 2;H228-H303-H315-H411
1,7,7-Trimethylbicyclo[2.2.1] heptan-2-one	76-22-2	0.1-<1%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1-STOT SE 2-Aquatic Acute 2-Aquatic Chronic 2; H228-H302-H315-H318-H332-H371-H411
Myrcene	123-35-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 2;H226-H304-H315-H319- H400-H411
beta-Pinene	127-91-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410

#### Substances with workplace exposure limits, not listed above:

Not Applicable

## Section 4. First-aid measures

#### 4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed.

Causes skin irritation.



Page 4 (10) Issue date: 14/03/2024 Version: 1 (14/03/2024)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: BLUE SAGE & EUCALYPTUS SLC1531

Version:

May cause an allergic skin reaction.

1

Causes serious eye damage.

## 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

### Section 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.



Page 5 (10) Issue date: 14/03/2024 Version: 1 (14/03/2024)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: BLUE SAGE & EUCALYPTUS SLC1531

Version:

#### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

1

Workplace exposure limits: Not Applicable

#### **8.2 Exposure Controls**

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

#### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
Odour threshold:	Not determined
pH:	Not determined
Melting point/freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 70 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected



Page 6 (10) Issue date: 14/03/2024 Version: 1 (14/03/2024)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: BLUE SAGE & EUCALYPTUS SLC1531

Version:

#### 9.2 Other information:

1

None available

### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.

#### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:	Acute Toxicity - Oral Category 5
Acute Toxicity Oral	2177
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Eye Damage / Irritation Category 1
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

#### Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Benzyl benzoate	120-51-4	1500	4000	Not available	Not available



# SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: BLUE SAGE & EUCALYPTUS SLC1531

#### Version:

1

Eucalyptol	470-82-6	2480	Not available	Not available	Not available
Geraniol	106-24-1	3600	Not available	Not available	Not available
Linalool	78-70-6	2790	Not available	Not available	Not available
p-Cymene	99-87-6	4750	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

### Section 12. Ecological information

#### 12.1 Toxicity:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Not available
12.4 Mobility in soil:	Not available
12.5 Other adverse effects:	Not available

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### Section 14. Transport information

	14.1 UN number or ID number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d- Limonene, Benzyl benzoate)	9	-	
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d- Limonene, Benzyl benzoate) MARINE POLLUTANT	9	-	111
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d- Limonene, Benzyl benzoate)	9	-	
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d- Limonene, Benzyl benzoate)	9	-	



Page 8 (10) Issue date: 14/03/2024 Version: 1 (14/03/2024)

## SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: BLUE SAGE & EUCALYPTUS SLC1531

Version:

1

**14.5 Environmental hazards:** This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user: None additional

## **14.7 Maritime transport in bulk according to IMO instruments:** Not applicable

#### Section 15. Regulatory information

None additional

Section 16. Other information

EH A1=43.16% EH A2=4.30% EH A3=0.42854 C3=1.92% EH C4=41.62%	
Total Fractional Values:         SCI 2=2.49 SCI 3=29.51 EDI 1=2.34 EDI 2A=8           32 EH A2=23.26 EH A3=233.35 EH C2=5.20 E	

## Key to revisions:

Not applicable

#### Key to abbreviations:

Abbreviation	Meaning		
Acute Tox. 4	Acute Toxicity - Oral Category 4		
Acute Tox. 4	Acute Toxicity - Inhalation Category 4		
Acute Tox. 5	Acute Toxicity - Dermal Category 5		
Acute Tox. 5	Acute Toxicity - Oral Category 5		
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1		
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2		
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3		
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1		
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2		
Aquatic Chronic 4	Hazardous to the Aquatic Environment - Long-term Hazard Category 4		
Asp. Tox 1	Aspiration Hazard Category 1		
Eye Dam. 1	Eye Damage / Irritation Category 1		
Eye Irrit. 2A	Eye Damage / Irritation Category 2A		
Eye Irrit. 2B	Eye Damage / Irritation Category 2B		
Flam. Liq. 3	Flammable Liquid, Hazard Category 3		
Flam. Liq. 4	Flammable Liquid, Hazard Category 4		
Flam. Sol. 1	Flammable Solid, Hazard Category 1		
Flam. Sol. 2	Flammable Solid, Hazard Category 2		
H226	Flammable liquid and vapour.		
H227	Combustible liquid.		



1

Page 9 (10) Issue date: 14/03/2024 Version: 1 (14/03/2024)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

## Product: BLUE SAGE & EUCALYPTUS SLC1531

#### Version:

Harmful if swallowed.       H303     May be harmful if swallowed.       H304     May be fatal if swallowed and enters airways.       H313     May be fatal if swallowed and enters airways.       H313     May be fatal if swallowed and enters airways.       H314     Gauses skin inflation.       H315     Causes skin inflation.       H316     Causes skin inflation.       H317     May cause an allergic skin reaction.       H318     Causes serious eye inflation.       H320     Causes serious eye inflation.       H321     Causes serious eye inflation.       H322     Harmful if inhaled.       H323     Harmful if inhaled.       H324     Harmful if oncalling fertility or the unborn child (exposure route).       H317     May cause damage to organs (organs, exposure route).       H400     Very toxic to aquatic life.       H402     Harmful to aquatic life.       H411     Toxic to aquatic life with long lasting effects.       H413     May cause long lasting harmful effects to aquatic life.       P201     Keep away from heat, sparks, open fames and hot surfaces No smoking.       P210     Keep away from heat, sparks, open fames and hot surfaces.       P241     Use explosion-proof electrical, ventilating and lighting equipment.       P242     Use only non-sparking tools.       P243	[	
H303     May be harmful if swallowed.       H304     May be fatal if swallowed and enters airways.       H313     May be harmful in contact with skin.       H315     Causes skin irritation.       H316     Causes mild skin irritation.       H317     May cause an allergic skin reaction.       H318     Causes erious eye damage.       H319     Causes serious eye irritation.       H319     Causes eye irritation.       H320     Causes eye irritation.       H321     Harmful if inheld.       H322     Harmful if inheld.       H332     Harmful if inheld.       H333     Suspected of damaging forgans, exposure route).       H371     May cause damage to organs (organs, exposure route).       H400     Very toxic to aquatic life.       H410     Very toxic to aquatic life.       H411     Toxic to aquatic life with long lasting effects.       H412     Very toxic to aquatic life with long lasting effects.       P202     Do not handle unit all aisfering refers.       P210     Keep away from heat, sparks, open flames and hot surfaces No smoking.       P233     Keep container lightly closed.       P244     Use only non-sparking tools.       P245     Use only non-sparking tools.       P246     Wash hands and other contacted skin thoroughy after handing.	H228	Flammable solid.
H304         May be fatal if swallowed and enters alrways.           H315         May be harmful in contact with skin.           H315         Causes skin irritation.           H316         Causes skin irritation.           H317         May cause an allergic skin reaction.           H318         Causes serious eye irritation.           H319         Causes serious eye irritation.           H319         Causes serious eye irritation.           H320         Causes eye irritation.           H321         Harmful I' Inhaled.           H322         Harmful I' mhaled.           H323         Harmful I' mhaled.           H317         May cause damage to organs (organs, exposure route).           H431         May cause damage to organs (organs, exposure route).           H4400         Very toxic to aquatic life.           H4401         Very toxic to aquatic life.           H411         Toxic to aquatic life.           H412         May cause long lasting harmful effects.           H313         May cause long lasting harmful effects.           H214         Very toxic to aquatic life.           P202         Do not handle until al safety precautions have been read and understood.           P210         Keep container tightly closed.           P241 </td <td>H302</td> <td>Harmful if swallowed.</td>	H302	Harmful if swallowed.
H313       May be hamful in contact with skin,         H315       Causes skin initiation.         H316       Causes mild skin initiation.         H317       May cause an allergic skin reaction.         H318       Causes serious eye initiation.         H319       Causes serious eye initiation.         H319       Causes serious eye initiation.         H320       Causes serious eye initiation.         H321       May cause damage to organs (organs, exposure route).         H301       May cause damage to organs (organs, exposure route).         H400       Very toxic to aquatic life.         H401       Very toxic to aquatic life.         H402       Harmful to aquatic life.         H411       Toxic to aquatic life with long lasting effects.         H411       Toxic to aquatic life with long lasting effects.         H413       May cause long lasting planmful effects to aquatic life.         P202       Do not handle until all safety precautions have been read and understood.         P214       Keep away from hact, sparks, open flames and hot surfaces No smoking.         P240       Ground/Yood container and receiving equipment.         P241       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use only non-sparking tools. <t< td=""><td>Н303</td><td>May be harmful if swallowed.</td></t<>	Н303	May be harmful if swallowed.
H315       Causes skin irritation.         H316       Causes mild skin irritation.         H317       May cause an allergic skin reaction.         H318       Causes serious eye damage.         H319       Causes serious eye irritation.         H320       Causes eye irritation.         H321       Harmful if inhaled.         H322       Harmful if inhaled.         H332       Harmful if onhaled.         H341       Suspected of damaging fertility or the unborn child (exposure route).         H371       May cause damage to organs (organs, exposure route).         H400       Very toxic to aquatic life.         H401       Very toxic to aquatic life.         H412       Harmful to aquatic life.         H413       May cause long lasting harmful effects.         H414       Toxic to aquatic life.         P202       Do not handle until all safety precautions have been read and understood.         P210       Keep oaniaher sightly closed.         P241       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use only non-sparking tools.         P243       Take precautionary measures against static discharge.         P260       Do not breathe vapour or dust.         P271       Use only uono-sparking	H304	May be fatal if swallowed and enters airways.
H316       Causes mild skin irritation.         H317       May cause an allergic skin reaction.         H318       Causes serious eye irritation.         H319       Causes serious eye irritation.         H320       Causes eye irritation.         H321       Harmful if inhaled.         H322       Harmful if inhaled.         H331       Suspected of damaging fertility or the unborn child (exposure route).         H400       Very toxic to aqualic life.         H400       Very toxic to aqualic life with long lasting effects.         H411       Toxic to aqualic life with long lasting effects.         H411       Toxic to aqualic life with long lasting effects.         H413       May cause long lasting harmful effects to aqualic life.         P202       Do not hardle until all safety precautions have been read and understood.         P210       Keep away from heat, sparks, open flames and hot surfaces No smoking.         P241       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use enyl non-sparking tools.         P243       Take precautionary measures against static discharge.         P244       Wash hands and other contacted skin thoroughly after handling.         P270       Do not terathe vapour or dust.         P271       Use only non-sparking tool	H313	May be harmful in contact with skin.
H317       May cause an allergic skin reaction.         H318       Causes serious eye damage.         H319       Causes eye irritation.         H320       Causes eye irritation.         H321       Harmful if rihaled.         H322       Harmful if rihaled.         H332       Harmful if rihaled.         H331       May cause damage to organs (organs, exposure route).         H400       Very toxic to aquatic life.         H400       Very toxic to aquatic life.         H410       Very toxic to aquatic life.         H411       Toxic to aquatic life with long lasting effects.         H413       May cause long lasting harmful effects to aquatic life.         P202       Do not handle until all safety precautions have been read and understood.         P210       Keep container tightly closed.         P241       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use only non-sparking tools.         P243       Take precautionary measures against static discharge.         P264       Avoid breathing vapour or dust.         P275       Contaminated work clothing should not be allowed out of the workplace.         P271       Use only outdoors or in a well-ventilated area.         P284       Wash hands and othere contacted skin thoro	H315	Causes skin irritation.
H318       Causes serious eye damage.         H319       Causes serious eye irritation.         H320       Causes eye irritation.         H321       Causes eye irritation.         H322       Harmful I inhaled.         H311       Suspected of damaging fertility or the unborn child (exposure route).         H371       May cause damage to organs (organs, exposure route).         H400       Very toxic to aquatic life.         H410       Very toxic to aquatic life.         H411       Toxic to aquatic life with long lasting effects.         H411       Toxic to aquatic life with long lasting effects.         H412       May cause long lasting harmful effects to aquatic life.         P202       Do not handle until all safety precautions have been read and understood.         P210       Keep container tightly closed.         P241       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use only non-sparking tools.         P243       Take precautionary measures against static discharge.         P260       Do not breathe vapour or dust.         P261       Avoid breathing vapour or dust.         P264       Wash hands and other contacted skin thoroughly after handling.         P270       Do not eat, drink or smoke when using this product.	H316	Causes mild skin irritation.
H319       Causes serious eye initiation.         H320       Causes eye initiation.         H321       Harmful If inhaled.         H322       Harmful If inhaled.         H361       Suspected of damaging fertility or the unborn child (exposure route).         H400       Very toxic to aquatic life.         H400       Very toxic to aquatic life.         H411       Toxic to aquatic life with long lasting effects.         H411       Toxic to aquatic life with long lasting effects.         H413       May cause long lasting harmful effects to aquatic life.         P202       Do not handle until all safety precautions have been read and understood.         P210       Keep away from heat, sparks, open flames and hot surfaces No smoking.         P240       Ground/bond container and receiving equipment.         P241       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use only non-sparking tools.         P243       Take precautionary measures against static discharge.         P260       Do not theraething vapour or dust.         P261       Avoid breathing vapour or dust.         P262       Do not eat, drink or smoke when using this product.         P271       Use only outlocors or in a well-wentilated area.         P272       Contatinated work clohing sh	H317	May cause an allergic skin reaction.
H320       Causes eye initiation.         H332       Harmful if inhaled.         H331       Suspected of damaging fertility or the unborn child (exposure route).         H371       May cause damage to organs (organs, exposure route).         H400       Very toxic to aquatic life.         H402       Harmful to aquatic life.         H411       Toxic to aquatic life with long lasting effects.         H411       Toxic to aquatic life with long lasting effects.         H413       May cause long lasting harmful effects to aquatic life.         P202       Do not handle until all safety precautions have been read and understood.         P210       Keep away from heat, sparks, open flames and hot surfaces No smoking.         P233       Keep container lightly closed.         P240       Ground/bond container and receiving equipment.         P241       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use only non-sparking tools.         P243       Take precautionary measures against static discharge.         P260       Do not breathe vapour or dust.         P244       Wash hands and other contacted skin throrughly after handling.         P245       Use only outdoors or in a well-ventilated area.         P270       Do not eat, drink or smoke when using this product.	H318	Causes serious eye damage.
Harmful if inhaled.         H381       Suspected of damaging fertility or the unborn child (exposure route).         H361       Suspected of damaging fertility or the unborn child (exposure route).         H371       May cause damage to organs, exposure route).         H400       Very toxic to aquatic life.         H402       Harmful to aquatic life.         H410       Very toxic to aquatic life with long lasting effects.         H411       Toxic to aquatic life with long lasting effects.         H413       May cause long lasting harmful effects to aquatic life.         P202       Do not handle until all safety precautions have been read and understood.         P210       Keep away from heat, sparks, open flames and hot surfaces No smoking.         P233       Keep container tightly closed.         P240       Ground/bond container and receiving equipment.         P241       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use only non-sparking tools.         P243       Take precautionary measures against static discharge.         P260       Do not breathe vapour or dust.         P261       Avoid breathing vapour or dust.         P272       Contaninated work cloting should not be allowed out of the workplace.         P273       Avoid release to the environment.	H319	Causes serious eye irritation.
H361       Suspected of damaging fertility or the unborn child (exposure route).         H371       May cause damage to organs (organs, exposure route).         H400       Very toxic to aquatic life.         H400       Very toxic to aquatic life with long lasting effects.         H411       Toxic to aquatic life with long lasting effects.         H413       May cause long lasting harmful effects to aquatic life.         P202       Do not handle until all safety precautions have been read and understood.         P210       Keep away from heat, sparks, open flames and hot surfaces No smoking.         P233       Keep container tightly closed.         P241       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use only non-sparking tools.         P243       Take precautionary measures against static discharge.         P260       Do not breathe vapour or dust.         P261       Avoid breathing vapour or dust.         P262       Use only on-sparking tools.         P243       Take precautionary measures against static discharge.         P264       Wash hands and other contacted skin thoroughly after handling.         P270       Do not eat, drink or smoke when using this product.         P271       Use only outdoors or in a well-ventilated area.         P272       Contaminated work clot	H320	Causes eye irritation.
H371       May cause damage to organs (organs, exposure route).         H400       Very toxic to aquatic life.         H402       Harmful to aquatic life.         H410       Very toxic to aquatic life with long lasting effects.         H411       Toxic to aquatic life with long lasting effects.         H413       May cause long lasting harmful effects to aquatic life.         P202       Do not handle until all safety precautions have been read and understood.         P210       Keep away from heat, sparks, open flames and hot surfaces No smoking.         P233       Keep container tightly closed.         P240       Ground/bond container and receiving equipment.         P242       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use only non-sparking tools.         P243       Take precautionary measures against static discharge.         P260       Do not breathe vapour or dust.         P261       Avoid breathing vapour or dust.         P271       Use only outdoors or in a well-ventilated area.         P272       Contaminated work clothing should not be allowed out of the workplace.         P271       Use only outdoors or in a well-ventilated area.         P272       Contaminated work clothing should not be allowed out of the workplace.         P273       Avoid release to the enviro	H332	Harmful if inhaled.
H400       Very toxic to aquatic life.         H402       Harmful to aquatic life.         H410       Very toxic to aquatic life with long lasting effects.         H411       Toxic to aquatic life with long lasting effects.         H413       May cause long lasting harmful effects to aquatic life.         P202       Do not handle until all safety precautions have been read and understood.         P210       Keep away from heat, sparks, open flames and hot surfaces No smoking.         P233       Keep container tighty closed.         P240       Ground/bond container and receiving equipment.         P241       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use only non-sparking tools.         P243       Take precautionary measures against static discharge.         P260       Do not breathe vapour or dust.         P261       Avoid breathing vapour or dust.         P264       Wash hands and other contacted skin thoroughly after handling.         P270       Do not eat, drink or smoke when using this product.         P271       Use only outdoors or in a well-ventilated area.         P272       Contaminated work cloting should not be allowed out of the workplace.         P273       Avoid release to the environment.         P280       Wear protective gloves/eye protection/face protectri	H361	Suspected of damaging fertility or the unborn child (exposure route).
H402         Harmful to aquatic life.           H410         Very toxic to aquatic life with long lasting effects.           H411         Toxic to aquatic life with long lasting effects.           H413         May cause long lasting harmful effects to aquatic life.           P202         Do not handle until all safety precautions have been read and understood.           P210         Keep away from heat, sparks, open flames and hot surfaces No smoking.           P233         Keep container tightly closed.           P240         Ground/bond container and receiving equipment.           P241         Use explosion-proof electrical, ventilating and lighting equipment.           P242         Use only non-sparking tools.           P243         Take precautionary measures against static discharge.           P260         Do not breathe vapour or dust.           P261         Avoid breathing vapour or dust.           P264         Wash hands and other contacted skin thoroughly after handling.           P271         Use only outdoors or in a well-ventilated area.           P272         Contaminated work clothing should not be allowed out of the workplace.           P273         Avoid release to the environment.           P280         Wear protective gloves/eye protection/face protection.           P301/310         IF SWALLOWED: Immediately call a POISON CENTER or doctor/ph	H371	May cause damage to organs (organs, exposure route).
H410       Very toxic to aquatic life with long lasting effects.         H411       Toxic to aquatic life with long lasting effects.         H413       May cause long lasting harmful effects to aquatic life.         P202       Do not handle until all safety precautions have been read and understood.         P210       Keep away from heat, sparks, open flames and hot surfaces No smoking.         P233       Keep container tightly closed.         P240       Ground/bond container and receiving equipment.         P241       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use only non-sparking tools.         P243       Take precautionary measures against static discharge.         P260       Do not breathe vapour or dust.         P261       Avoid breathing vapour or dust.         P264       Wash hands and other contacted skin thoroughly after handling.         P270       Do not eat, drink or smoke when using this product.         P271       Use only outdoors or in a well-ventilated area.         P272       Contaminated work clothing should not be allowed out of the workplace.         P273       Avoid release to the environment.         P280       Wear protective gloves/eye protection/face protection.         P301/310       IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	H400	Very toxic to aquatic life.
H411       Toxic to aquatic life with long lasting effects.         H413       May cause long lasting harmful effects to aquatic life.         P202       Do not handle until all safety precautions have been read and understood.         P210       Keep away from heat, sparks, open flames and hot surfaces No smoking.         P233       Keep container tightly closed.         P240       Ground/bond container and receiving equipment.         P241       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use only non-sparking tools.         P243       Take precautionary measures against static discharge.         P260       Do not breathe vapour or dust.         P261       Avoid breathing vapour or dust.         P270       Do not eat, drink or smoke when using this product.         P271       Use only outdoors or in a well-ventilated area.         P272       Contaminated work clothing should not be allowed out of the workplace.         P273       Avoid release to the environment.         P280       Wear protective gloves/eye protection/face protection.         P301/310       IF SWALLOWED: call a POISON CENTER or doctor/physician.         P301/312       IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.         P302/352       IF ON SKIN (or hai): Nenrove/take foi immediately all contaminated clothing.	H402	Harmful to aquatic life.
H413         May cause long lasting harmful effects to aquatic life.           P202         Do not handle until all safety precautions have been read and understood.           P210         Keep away from heat, sparks, open flames and hot surfaces No smoking.           P233         Keep container tightly closed.           P240         Ground/bond container and receiving equipment.           P241         Use explosion-proof electrical, ventilating and lighting equipment.           P242         Use only non-sparking tools.           P243         Take precautionary measures against static discharge.           P260         Do not breathe vapour or dust.           P261         Avoid breathing vapour or dust.           P264         Wash hands and other contacted skin thoroughly after handling.           P270         Do not teat, drink or smoke when using this product.           P271         Use only outdoors or in a well-ventilated area.           P272         Contaminated work clothing should not be allowed out of the workplace.           P273         Avoid release to the environment.           P280         Wear protective gloves/eye protection/face protection.           P301/310         IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.           P301/312         IF SWALLOWED: call a POISON CENTER or doctor/physician.           P303/361/353 <t< td=""><td>H410</td><td>Very toxic to aquatic life with long lasting effects.</td></t<>	H410	Very toxic to aquatic life with long lasting effects.
P202         Do not handle until all safety precautions have been read and understood.           P210         Keep away from heat, sparks, open flames and hot surfaces No smoking.           P233         Keep container tightly closed.           P240         Ground/bond container and receiving equipment.           P241         Use explosion-proof electrical, ventilating and lighting equipment.           P242         Use only non-sparking tools.           P243         Take precautionary measures against static discharge.           P260         Do not breathe vapour or dust.           P261         Avoid breathing vapour or dust.           P264         Wash hands and other contacted skin thoroughly after handling.           P270         Do not eat, drink or smoke when using this product.           P271         Use only outdoors or in a well-ventilated area.           P272         Contaminated work clothing should not be allowed out of the workplace.           P273         Avoid release to the environment.           P280         Wear protective gloves/eye protection/face protection.           P301/310         IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.           P301/312         IF SWALLOWED: call a POISON CENTER or doctor/physician.           P303/361/353         IF ON SKIN: Wash with plenty of soap and water.           P303/361/353 <td< td=""><td>H411</td><td>Toxic to aquatic life with long lasting effects.</td></td<>	H411	Toxic to aquatic life with long lasting effects.
P210         Keep away from heat, sparks, open flames and hot surfaces No smoking.           P233         Keep container tightly closed.           P240         Ground/bond container and receiving equipment.           P241         Use explosion-proof electrical, ventilating and lighting equipment.           P242         Use only non-sparking tools.           P243         Take precautionary measures against static discharge.           P260         Do not breathe vapour or dust.           P261         Avoid breathing vapour or dust.           P264         Wash hands and other contacted skin thoroughly after handling.           P270         Do not eat, drink or smoke when using this product.           P271         Use only outdoors or in a well-ventilated area.           P272         Contaminated work clothing should not be allowed out of the workplace.           P273         Avoid release to the environment.           P280         Wear protective gloves/eye protection/face protection.           P301/310         IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.           P302/352         IF ON SKIN: Wash with plenty of soap and water.           P303/361/353         IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.           P304/340         IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,	H413	May cause long lasting harmful effects to aquatic life.
P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P260Do not breathe vapour or dust.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: call a POISON CENTER or doctor/physician.P303/361/353IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.P304/340IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.P305/351/338IF ON SKIN (with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P202	Do not handle until all safety precautions have been read and understood.
P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P260Do not breathe vapour or dust.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P302/352IF ON SKIN: Wash with plenty of soap and water.P303/361/353IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.P304/340IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.P305/351/338IF ON SKIN (water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P241       Use explosion-proof electrical, ventilating and lighting equipment.         P242       Use only non-sparking tools.         P243       Take precautionary measures against static discharge.         P260       Do not breathe vapour or dust.         P261       Avoid breathing vapour or dust.         P264       Wash hands and other contacted skin thoroughly after handling.         P270       Do not eat, drink or smoke when using this product.         P271       Use only outdoors or in a well-ventilated area.         P272       Contaminated work clothing should not be allowed out of the workplace.         P273       Avoid release to the environment.         P280       Wear protective gloves/eye protection/face protection.         P301/310       IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.         P302/352       IF ON SKIN: Wash with plenty of soap and water.         P303/361/353       IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.         P304/340       IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.         P305/351//338       IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P233	Keep container tightly closed.
P242       Use only non-sparking tools.         P243       Take precautionary measures against static discharge.         P260       Do not breathe vapour or dust.         P261       Avoid breathing vapour or dust.         P264       Wash hands and other contacted skin thoroughly after handling.         P270       Do not eat, drink or smoke when using this product.         P271       Use only outdoors or in a well-ventilated area.         P272       Contaminated work clothing should not be allowed out of the workplace.         P273       Avoid release to the environment.         P280       Wear protective gloves/eye protection/face protection.         P301/310       IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.         P302/352       IF ON SKIN: Wash with plenty of soap and water.         P303/361/353       IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.         P304/340       IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.         P305/351/338       IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P240	Ground/bond container and receiving equipment.
P243       Take precautionary measures against static discharge.         P260       Do not breathe vapour or dust.         P261       Avoid breathing vapour or dust.         P264       Wash hands and other contacted skin thoroughly after handling.         P270       Do not eat, drink or smoke when using this product.         P271       Use only outdoors or in a well-ventilated area.         P272       Contaminated work clothing should not be allowed out of the workplace.         P273       Avoid release to the environment.         P280       Wear protective gloves/eye protection/face protection.         P301/310       IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.         P302/352       IF ON SKIN: Wash with plenty of soap and water.         P303/361/353       IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.         P304/340       IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.         P305/351/338       IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P241	Use explosion-proof electrical, ventilating and lighting equipment.
P260Do not breathe vapour or dust.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P302/352IF ON SKIN: Wash with plenty of soap and water.P303/361/353IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.P304/340IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.P305/351/338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P242	Use only non-sparking tools.
P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P302/352IF ON SKIN: Wash with plenty of soap and water.P303/361/353IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.P304/340IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.P305/351/338IF NEYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P243	Take precautionary measures against static discharge.
P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P302/352IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.P303/361/353IF ON SKIN: Wash with plenty of soap and water.P304/340IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.P305/351/338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P260	Do not breathe vapour or dust.
P270       Do not eat, drink or smoke when using this product.         P271       Use only outdoors or in a well-ventilated area.         P272       Contaminated work clothing should not be allowed out of the workplace.         P273       Avoid release to the environment.         P280       Wear protective gloves/eye protection/face protection.         P301/310       IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.         P301/312       IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.         P302/352       IF ON SKIN: Wash with plenty of soap and water.         P303/361/353       IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.         P304/340       IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.         P305/351/338       IF N EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P261	Avoid breathing vapour or dust.
P271Use only outdoors or in a well-ventilated area.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.P302/352IF ON SKIN: Wash with plenty of soap and water.P303/361/353IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.P304/340IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.P305/351/338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P264	Wash hands and other contacted skin thoroughly after handling.
P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.P302/352IF ON SKIN: Wash with plenty of soap and water.P303/361/353IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.P304/340IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.P305/351/338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P270	Do not eat, drink or smoke when using this product.
P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.P302/352IF ON SKIN: Wash with plenty of soap and water.P303/361/353IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.P304/340IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.P305/351/338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P271	Use only outdoors or in a well-ventilated area.
P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.P302/352IF ON SKIN: Wash with plenty of soap and water.P303/361/353IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.P304/340IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.P305/351/338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P272	Contaminated work clothing should not be allowed out of the workplace.
P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.P302/352IF ON SKIN: Wash with plenty of soap and water.P303/361/353IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.P304/340IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.P305/351/338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P273	Avoid release to the environment.
P301/312       IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.         P302/352       IF ON SKIN: Wash with plenty of soap and water.         P303/361/353       IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.         P304/340       IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.         P305/351/338       IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P280	Wear protective gloves/eye protection/face protection.
P302/352       IF ON SKIN: Wash with plenty of soap and water.         P303/361/353       IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.         P304/340       IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.         P305/351/338       IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P303/361/353       IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.         P304/340       IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.         P305/351/338       IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P304/340       IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.         P305/351/338       IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P302/352	
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P308/313 IF exposed or concerned: Get medical advice/attention.	P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
	P308/313	IF exposed or concerned: Get medical advice/attention.



1

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

#### Product: BLUE SAGE & EUCALYPTUS SLC1531

#### Version:

P309/311	IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2	Toxic to Reproduction Category 2
STOT SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.